



90
City of Las Cruces[®]
 PEOPLE HELPING PEOPLE

Council Action and Executive Summary

Item # 8

Ordinance/Resolution# 13-14-376

For Meeting of _____
 (Ordinance First Reading Date)

For Meeting of April 7, 2014
 (Adoption Date)

Please check box that applies to this item:

QUASI JUDICIAL

LEGISLATIVE

ADMINISTRATIVE

TITLE: A RESOLUTION AWARDING THE BID FOR A PRICING AGREEMENT FOR THE PURCHASE OF STREET LIGHTING POLES AND FIXTURES TO CONSOLIDATED ELECTRICAL DISTRIBUTORS (CED) OF LAS CRUCES, NM IN THE AMOUNT OF \$78,212.50, PLUS \$5,914.82, FOR NEW MEXICO GROSS RECEIPTS TAX FOR A TOTAL AUTHORIZATION IN THE AMOUNT OF \$84,127.32 FOR A PERIOD OF ONE YEAR WITH THE OPTION TO RENEW FOR TWO ADDITIONAL YEARS.

PURPOSE(S) OF ACTION:

Award bid for a pricing agreement.

COUNCIL DISTRICT: ALL		
<u>Drafter/Staff Contact:</u> Willie Roman	<u>Department/Section:</u> Transportation / Streets and Traffic Operations	<u>Phone:</u> 541-2595
<u>City Manager Signature:</u>		

BACKGROUND / KEY ISSUES / CONTRIBUTING FACTORS:

The City of Las Cruces Transportation Department requested bids for the purchase of street lighting poles and fixtures on an as-needed basis for installation of street light poles at various locations throughout the year. The bid will seek to establish a price agreement for the purchase of said items thus allowing staff to order and receive these materials in a timely manner. The agreement will be for one (1) year with options to renew annually for two (2) additional years with approval from the City and Contractor. The bid included 35' street light poles, underground pull boxes and LED fixtures.

A total of (3) bids were received. The bids were reviewed by the Streets and Traffic Operations Section and the Purchasing Section for compliance with the specifications. The lowest bid meeting all specifications was provided by Consolidated Electrical Distributors (CED) of Las Cruces, NM. Thus, staff recommends award of contract to CED.

(Continue on additional sheets as required)

SUPPORT INFORMATION:

1. Resolution.
2. Purchasing Manager Request to Contract for, Exhibit "A".
3. Vendor Bid response (13-14-376), Attachment "1".
4. Material Listing and corresponding unit prices, Exhibit "B".

SOURCE OF FUNDING:

Is this action already budgeted?	Yes	<input checked="" type="checkbox"/>	See fund summary below
	No	<input type="checkbox"/>	If No, then check one below:
	<i>Budget Adjustment Attached</i>	<input type="checkbox"/>	Expense reallocated from: _____
	<input type="checkbox"/>	Proposed funding is from a new revenue source (i.e. grant; see details below)	
	<input type="checkbox"/>	Proposed funding is from fund balance in the _____ Fund.	
Does this action create any revenue?	Yes	<input type="checkbox"/>	Funds will be deposited into this fund: _____ in the amount of \$ _____ for FY _____.
	No	<input checked="" type="checkbox"/>	There is no new revenue generated by this action.

BUDGET NARRATIVE

Funds for expenditures have been budgeted under the General Fund/1000 under account number: 10803150-854124 (Street Lighting).

FUND EXPENDITURE SUMMARY:

Fund Name(s)	Account Number(s)	Expenditure Proposed	Available Budgeted Funds in Current FY	Remaining Funds	Purpose for Remaining Funds
General Fund	10803150-854124	\$84,127.32	\$154,425.00	\$70,297.58	Street lighting operational expenditures

(Continue on additional sheets as required)

OPTIONS / ALTERNATIVES:

1. Vote "Yes"; this action will approve the award bid for Street Lighting Material Pricing Agreement No. 13-14-376 to Consolidated Electrical Distributors (CED), of Las Cruces, NM at the unit prices indicated in the Vendor Bid Tabulation, Exhibit "B". This will allow street lighting materials to be purchased to meet operational needs.
2. Vote "No"; this action will reject the proposed bid award and instruct staff to either re-bid, re-scope or abandon the pricing agreement all together. Without this pricing agreement, potential users will have to procure these materials by soliciting bids for each order placed.
3. Vote to "Amend"; this action could approve the agreement with adjustments to conditions or changes as requested by City Council.
4. Vote to "Table"; this would allow City Council to postpone consideration of the Resolution to approve the agreement and direct staff accordingly.

REFERENCE INFORMATION:

The resolution(s) and/or ordinance(s) listed below are only for reference and are not included as attachments or exhibits.

N/A

(Continue on additional sheets as required)

RESOLUTION NO. 13-14-376

A RESOLUTION AWARDING THE BID FOR A PRICING AGREEMENT FOR THE PURCHASE OF STREET LIGHTING POLES AND FIXTURES TO CONSOLIDATED ELECTRICAL DISTRIBUTORS (CED) OF LAS CRUCES, NM IN THE AMOUNT OF \$78,212.50, PLUS \$5,914.82, FOR NEW MEXICO GROSS RECEIPTS TAX FOR A TOTAL AUTHORIZATION IN THE AMOUNT OF \$84,127.32 FOR A PERIOD OF ONE YEAR WITH THE OPTION TO RENEW FOR TWO ADDITIONAL YEARS.

The City Council is informed that:

WHEREAS, the City of Las Cruces "City" has the need to purchase street lighting poles and fixtures to support the operation of the Traffic Engineering Section for on-going installation of street lighting throughout the City; and

WHEREAS, bids were solicited by the Purchasing Department from various material supplies for consideration to purchase these materials; and

WHEREAS, City staff recommends that the bid for the purchase of these materials be awarded to Consolidated Electrical Distributors (CED), of Las Cruces, NM at the unit prices (not including New Mexico Gross Receipts Tax) as listed on the attached Exhibit "B"; and

NOW, THEREFORE, Be it resolved by the governing body of the City of Las Cruces:

(I)

THAT the bid for purchase of the street lighting materials is hereby awarded to Consolidated Electrical Distributors (CED), of Las Cruces, NM in the amount of \$78,212.50 at the unit prices listed on the attached Exhibit "B", plus \$5,914.82 for New Mexico Gross Receipts Tax.

(II)

THAT the Purchasing Manager is authorized to contract with Consolidated Electrical

Distributors (CED), of Las Cruces, NM as outlined in Exhibit "A", Purchasing Manager's Request to Contract Form, attached hereto.

(III)

THAT City staff is hereby authorized to do all deeds necessary in the accomplishment of the herein above.

DONE AND APPROVED this _____ day of _____, 20__.

APPROVED:

Mayor

ATTEST:

City Clerk

(SEAL)


VOTE:

Mayor Miyagishima: _____
Councillor Silva: _____
Councillor Smith: _____
Councillor Pedroza: _____
Councillor Small: _____
Councillor Sorg: _____
Councillor Levatino: _____

Moved by: _____

Seconded by: _____

APPROVED AS TO FORM:



City Attorney

CITY OF LAS CRUCES

PURCHASING MANAGER'S REQUEST TO CONTRACT

For Meeting of: April 7, 2014

Resolution No.: 13-14-376

Contract Purchase For Street Light Poles and Accessories Price Agreement

The Las Cruces City Council is provided the following information concerning this request:

BID SOLICITATION INFORMATION:


1. Bid Due Date: January 27, 2014
2. Description: **Street Light Poles and Accessories Price Agreement**
3. Using Department: Transportation
4. Number of Responses Solicited: Thirty-seven (37)
5. Number of Responses Received and Accepted: Three (3)
6. Recommended Award(s) To: **Consolidated Electrical Distributors
of Las Cruces, NM**
7. Total Award Amount (includes any tax and contingency): \$84,127.32
8. Contract Duration: **One (1) year with two (2) one-year renewals subject
to approved budget appropriations and annual renewal**

LOCAL PREFERENCE FACTOR

Local Preference Factor Applied Per LCMC §24-100	No		LCMC §24-100 not applicable to this solicitation
	Yes	X	Made A Difference To Bid Awards(s)
			X Made No Difference To Bid Award(s)

PROCUREMENT CODE COMPLIANCE:

The City of Las Cruces Procurement Code was administered in the conduct of this procurement and approval to purchase is hereby requested pursuant to **Section 24-91**.


3/21/14
 Purchasing Manager Date

CONFIRMATION OF FUND ENCUMBRANCE:

REQUISITION or PURCHASE ORDER NUMBER:	TBD
---------------------------------------	-----



Bid # 13-14-376

INVITATION TO BID

TITLE	BID #	DUE DATE/TIME
Street Light Poles and Accessories Price Agreement	13-14-376	January 22, 2014 @ 2:00 pm MST

Bid Submitted by: CED - Consolidated Electrical Distributors
(Company)

BIDDING CONDITIONS

Unless otherwise stated in the bid document, the following conditions apply.

- 1) Bidders are advised that all bids are subject to the legal requirements as provided for in the City of Las Cruces (City) Procurement Code, Chapter 24 Las Cruces Municipal Code (LCMC), 1998 available on the City's website:
<http://www.las-cruces.org/Departments/Financial%20Services/Services/Purchasing.aspx>

- a) Preference will be given to bidders residing within New Mexico and/or Las Cruces, NM, in accordance with §13-1-21 & §13-4-2, NMSA, 1978, of the State of New Mexico Statutes, and Section 24-100, LCMC, 1998, of the City Procurement Code.
- b) Whenever bid specifications are for supplies or materials consisting of recycled content goods and non-recycled content goods, bids submitted for recycled content goods shall receive a 5% preference pursuant to §13-1-21, NMSA, 1978.
- c) The application of multiple preferences shall be limited to ten percent (10%).
- d) Whenever federal funds that are subject to the U.S. OMB "Common Rule" and involved in the purchase of goods/services by the City, the preferences stated within this section are not applicable.
- e) DIRECT CONTACT WITH CITY ELECTED OFFICIALS OR CITY STAFF DURING THE BID PROCESS (from Public Notice through Award), OTHER THAN PURCHASING SECTION STAFF, WILL RENDER THE BID NON-COMPLIANT AND UNACCEPTABLE FOR AWARD.
- f) Bidder agrees to comply with all City, State and Federal rules and regulations.
- g) Bidder is responsible for complying with criminal laws prohibiting bribes, gratuities and kickbacks.

2) Bids must:

- a) be submitted typed or in ink on **UNALTERED City bid forms** for bid to be considered.
- b) be complete with required information.
- c) be signed by an authorized representative.
- d) be submitted separately and labeled as such when submitting more than one bid.
- e) state the manufacturer BRAND/MODEL NUMBER offered on all items along with brochures and specifications.
- f) include samples at no cost for evaluation purposes when required by the bid specifications or otherwise requested by the City.
- g) include a request for return of samples, by the supplier, otherwise samples shall become the property of the City after 60 days. (Bidders must arrange for and absorb the cost of any sample return.)
- h) be mailed, hand delivered, or faxed to:

<u>MAIL:</u>	<u>HAND DELIVER:</u>	<u>FAX:</u>
City of Las Cruces Purchasing Section P.O. Box 20000 Las Cruces, NM 88004	City of Las Cruces Purchasing Section 700 North Main, Room 3134 Las Cruces, NM 88001	City of Las Cruces Purchasing Section 575-541-2515

When submitting a bid via fax:

- FAX should have a cover sheet containing the bid or quote number and title, due date and time, and bidder's name, phone, and fax numbers. No pricing is to be shown on this page.
- If the FAX is not completely received before the due time, it shall not be considered. Time received shall be the time registered by the FAX machine located in the Bid Clerk Office of the Purchasing Section. **Note:** The City is not responsible for ensuring that a complete faxed bid is received. **FAXED BIDS WILL NO LONGER BE ACCEPTED AFTER MARCH 31, 2014.**
- i) be received by the City Purchasing Section by the specified due date and time, and stamped by the Purchasing Section's official time clock. Late bids shall not be accepted.

3) Pricing shall:

- a) state the UNIT PRICE and EXTENDED AMOUNT for each item or service offered. UNIT PRICES GOVERN ANY ERRORS IN THE EXTENSION and shall be stated F.O.B. - Destination; Prepaid Full Freight Allowed
- b) exclude any applicable taxes.

- c) be effective for 45 days.
- 4) Questions:
 - a) MUST be submitted in writing and either emailed, faxed, hand delivered or mailed to the attention of the Bid Clerk referencing the bid number and title.
 - b) will be accepted only up to one week prior to the bid due date/time.
- 5) Addenda:
 - a) Any changes or clarifications to bid requirements will be made via written addendum when required. Verbal understanding shall not be binding.
 - b) In the event an addendum is received by a bidder after a bid is submitted, the bidder must acknowledge receipt of the addendum by notice to the Bid Clerk via fax/email/mail.
 - c) If an addendum changes a bid already submitted, a revised bid must be sent and clearly marked REVISED.
 - d) ~~Failure to acknowledge receipt of an addendum may result in the bid being non-compliant.~~
- 6) The City reserves the right to:
 - a) determine responsible bidders and responsive bids.
 - b) accept and award compliant bids based on the lowest:
 - i) Individual Unit Price, or
 - ii) Grouped Unit Price, or
 - iii) Lump Sum Unit Price; whichever is deemed most beneficial to the City.
 - c) determine and waive minor technicalities in the bid form or requirements not affecting price, quality, quantity, or delivery of items or services sought.
 - d) negotiate an extension of effective price dates.
 - e) change the quantity of bid items within their effective price date.
 - f) reject any or all bids partially or wholly.
- 7) It is the City's intent to award bids within 45 days of the bid due date.
 - a) Bidders may obtain bid results by contacting the Bid Clerk at bidclerk@las-cruces.org.
 - b) The contract terms/conditions resulting from this bid solicitation may be extended by the awarded contractor to other public entities in compliance with the laws and regulations of those public entities. The City is not subject to any obligation or responsibility regarding such extension.

Receipt of Addenda Nos. 1 & 2 is hereby acknowledged. (Where none received, place '0' in this space.)

Payment Terms: Net 30 Days Bidder guarantees delivery of items within 45 days

Pricing for this bid is effective through 2/15/2015 (price agreements are effective for one year from date of award)

NM Tax & Revenue Department CRS # 02-460028-008

Current NM Public Regulatory Commission Registration # _____ (corporations only)

Current CLC Business Registration # 2084 (for businesses residing with Las Cruces city limits)

NM Resident Certificate from NM Tax and Revenue Department enclosed Yes No

NM Resident Veteran Certificate from NM Tax and Revenue Department enclosed Yes No

Fed I.D. 77-0030773 (mandatory for all respondents)

In compliance with the Bid Specifications, Bidding Conditions, and Purchase Order Terms and Conditions, I, the undersigned, offer and agree to furnish any or all items upon which prices are offered at the price set opposite each item, to the City within the time specified.

I (we) further certify that this company has not been debarred, suspended, or otherwise made ineligible for participation in Federal Assistance programs under Executive Order 12549 "Debarment and Suspension" as described in the Federal Register Rules and Regulations.

COMPANY NAME & ADDRESS:

ced
805 EL MOLINO Blvd.
Las Cruces, NM 88005
575-523-5649
 Phone 575-525-3372
 Fax _____

Typed or Printed Name of Authorized Representative & Title:

Drake Miller - Manager
T Miller 1/27/14
 Signature Date
dmiller@cedlascruces.com
 Email

PURCHASE ORDER TERMS AND CONDITIONS

1. **CONTRACT.** The contract resulting from the acceptance of this purchase order is to be construed according to the laws of the State of New Mexico. This contract is non-assignable by Seller.
2. **DELIVERY SCHEDULE.** Deliveries are to be made both in quantities of finished goods, service or construction and at times specified by the City. The City will have no liability for payment of material, service or construction delivered to the City which exceeds purchase order requirements. The City may from time to time change delivery schedules or issue temporary suspension of scheduled material, service or construction.
3. **EXCUSABLE DELAYS.** Except with respect to defaults of subcontractors, Seller shall not be liable for delays or defaults in deliveries due to causes beyond its control and without its fault or negligence. Written notice setting forth the cause for any anticipated delay will be given immediately to the City. Any delay due to default of subcontractor will be excusable if beyond the control and without the fault or negligence of both the Seller and subcontractor and if Seller established that it could not obtain supplies or services from another source in time to meet scheduled deliveries.
4. **CANCELLATION.** The City reserves the right to cancel all or any part of the work covered by this purchase order if Seller does not make deliveries as specified or so fails to make progress as to endanger performance of the work and does not correct such failure within 10 days after receipt of written notice from the City specifying such failure, or if Seller breaches any of the terms hereof.

Additionally, performance of work under this purchase order may be terminated by the City at its option, in whole or in part by delivery, or by mailing a written notice of termination whenever the City determines such termination is in its best interest. Upon termination under this paragraph, the City shall pay to Seller the following amounts without duplication:

- The purchase order price for all completed deliveries of material, service or construction not previously paid for.
 - The actual costs incurred by Seller in accordance to this purchase order to the extent such costs are reasonable in amount and are properly allocable or apportionable under generally accepted accounting practices to the terminated portion of this purchase order. Payments shall not exceed the aggregate price specified in this purchase order, less payments otherwise made or to be made.
5. **INSPECTION.** All material shall be received subject to the City's inspection and rejection. Defective material or material not in accordance to the City's specifications will be held for Seller's instruction and at Seller's risk and, if Seller so directs, will be returned at Seller's expense. Any payment for material, service or construction on this order prior to inspection shall not constitute an acceptance thereof, nor will acceptance remove Seller's responsibility for latent defects.
 6. **SHIPPING AND BILLING.** Deliveries shall be shipped F.O.B.—Las Cruces, New Mexico; Prepaid & Allowed. All deliveries shall be suitably packed, marked and shipped in accordance with the requirements of common carriers in a manner to secure lowest transportation cost and without additional charges unless otherwise specified.

Seller shall properly mark each package with the City's order number including single shipments comprised of multiple packages. Purchase order number and package number shall be shown on packing slips, bills of lading and invoices. Packages delivered without purchase order identification number shall be rejected and returned to Seller at Seller's expense. Packing slips must accompany each shipment.
 7. **WARRANTY.** Seller is responsible for including product warranty documentation with shipment.
 8. **REMEDIES.** All remedies are herein reserved by the City and shall be cumulative and in addition to any further remedies provided in law or equity. No waiver of a breach of any provision of this contract shall constitute a waiver of any other breach or of such provision.

CITY OF LAS CRUCES
Street Light Poles and Accessories Price Agreement

INTRODUCTION

The City of Las Cruces seeks to establish a Price Agreement for the street light poles and accessories listed below. The agreement will be for one (1) year with options to renew annually for two (2) additional years with approval of the City and Contractor.

BID ITEMS

ITEM	DESCRIPTION	QTY (EST.)	UNIT PRICE	EXTENDED
1	35' Round tapered aluminum street light poles w/ 8' davit arm and 11 1/2" bolt circle. No breakaway base needed. No Anchor Bolts needed. (<i>Quoting HAPCO Brand</i>)	45	<i>\$ 1102.50</i>	<i>\$ 49612.50</i>
2	35' HAPCO OR EQUAL standard aluminum pole PN: 68830-002 with breakaway base and anchor bolts 10 1/2" bolt circle.	10	<i>\$ 1530.00</i>	<i>\$ 15300.00</i>
3	12" x 12" QUASITE OR EQUAL fiber underground pull box w/ "Street Lighting" cover.	20	<i>\$ 73.00</i>	<i>\$ 1460.00</i>
4	CREE XSP2 OR EQUAL luminaires 480 volt without photocells, 4000k high efficacy color range.	37	<i>\$ 320.00</i>	<i>\$ 11840.00</i>

TOTAL: *\$ 78,212.50*

Note: When bidding equal products, please include specifications.

The successful respondent awarded a contract as a result of this selection process may extend the same terms and conditions of the contract to other governmental entities pursuant to the governing laws of those entities with condition that the City of Las Cruces shall not have any liability as a result of such extension.

PRICE DECREASES:

If the offeror receives any cost decrease from the supplier of the goods sold to the City through a contract resulting from this request, the offeror shall notify the City within 24 hours of such decrease and pass such decreases to the City immediately.

PRICE INCREASES:

1. All requests for price increases shall be accompanied by a certified letter from the offeror's supplier showing the cost increase to the offeror.
2. The City reserves the right to cancel a contract resulting from this request and solicit a new contract if the requested price increase is above the current open market price for the same commodity. Cancellation of the contract shall not affect any outstanding orders.

LOCAL PREFERENCE NOTICE

To receive a 5% local preference, submit a current copy of the respondent's Business Certificate issued by the City of Las Cruces Community Development Department.

Attached

NEW MEXICO RESIDENT PREFERENCE NOTICE

Pursuant to §13-1-21 & §13-4-2, NMSA, 1978, of the State of New Mexico Statutes, as amended, a respondent who submits, within its bid or proposal documents, a copy of its resident business or resident contractor certificate issued by the New Mexico Tax and Revenue Department will qualify for preference as authorized by the statutes.

Bids or proposals submitted without the certificate issued by the New Mexico Tax and Revenue Department will not qualify for this preference.

Firms seeking this preference are encouraged to apply with the New Mexico Tax and Revenue Department to receive certification as a "resident business" or "resident contractor". Firms may obtain application forms by contacting the New Mexico Tax and Revenue Department at 575-524-6225 or may apply online at the following web address:

<http://www.tax.newmexico.gov/Pages/TRD-Homepage.aspx>

NEW MEXICO RESIDENT VETERAN BUSINESS NOTICE

To receive a 7%, 8% or 10% veteran preference, as applicable, submit a Resident Veteran Business certificate issued by the New Mexico Tax & Revenue Department and the Business Volume Declaration Form (attached).

Firms may obtain application forms by contacting the New Mexico Tax and Revenue Department at 575-524-6225 or may apply online at the following web address:

<http://www.tax.newmexico.gov/Pages/TRD-Homepage.aspx>

PREFERENCE FOR RECYCLED CONTENT GOODS

Whenever specifications for supplies or materials provide bidders opportunity to offer items made with recycled content good, and, when bids are received for both recycled content goods and non-recycled content goods, bids submitted for recycled content goods shall be deemed five percent (5%) lower than the bids actually submitted provided that the recycled materials content meets or exceeds the minimum content standards required by bid specifications. "Recycled content goods" means supplies and materials composed of a minimum of twenty-five percent (25%) of recycled materials or more as specified herein.



2014 - 05

CITY OF LAS CRUCES
P.O. BOX 20000
LAS CRUCES, NEW MEXICO 88004

Number
2084
Issue Date
04/01/2013
Expires
05/31/2014


Type
BUSINESS REGISTRATION

**** NOTICE ****

This license becomes null & void if ownership, business name or address is changed. Licensee must apply within 10 days of such changes for transfer. Fees may apply. All applicable building & zoning regulations pertaining to business location must be followed.

Business Name: CONSOLIDATED ELECTRICAL DISTRIBUTORS, IN
805 EL MOLINO BLVD
LAS CRUCES NM 88005

***** POST THIS CERTIFICATE IN A CONSPICUOUS PLACE *****



2014 - 05

CITY OF LAS CRUCES
P.O. BOX 20000
LAS CRUCES, NEW MEXICO 88004

**Certificate
Receipt**

License Number
2084
Fee Paid
35.00
Issue Date
04/01/2013
Expiration Date
05/31/2014

Type
BUSINESS REGISTRATION

**** NOTICE ****

This license becomes null & void if ownership, business name or address is changed. Licensee must apply within 10 days of such changes for transfer. Fees may apply. All applicable building & zoning regulations pertaining to business location must be followed.

Business Name: CONSOLIDATED ELECTRICAL DISTRIBUTORS, IN
805 EL MOLINO BLVD.
LAS CRUCES, NM 88005-9000

***** NOTIFY CITY OF LAS CRUCES IMMEDIATELY IF THIS BUSINESS LOCATION CLOSSES *****



ADDENDUM ONE

January 17, 2014

BID NUMBER: 13-14-376

BID TITLE: Street Light Poles and Accessories PA

DUE DATE/TIME: EXTENDED: January 27, 2014 / 2:00 p.m.

The following clarifications/modifications/requirements are made part of the above referenced bid and shall be adhered to in responding to this solicitation.

The bid due date/time has been extended to Monday, January 27, 2014 / 2:00 p.m.

Q1: Will this request be awarded as a whole to one vendor, or will it be awarded by line item to multiple vendors?

A1: The City prefers to award to one vendor but may award to multiple vendors if deemed more beneficial.

Q2: Do you offer a "Veterans Business" discount for companies outside of NM?

A2: No.

END OF ADDENDUM ONE

**ADDENDUM TWO**

January 22, 2014

BID NUMBER: 13-14-376**BID TITLE:** Street Light Poles and Accessories PA**DUE DATE/TIME:** January 27, 2014 / 2:00 p.m.

The following clarifications/modifications/requirements are made part of the above referenced bid and shall be adhered to in responding to this solicitation.

Q1: Item 1 refers to a 35' davit pole with 8' arm. We need either the wall thickness (.156" or .188") called out or the EPA load being installed onto the pole to determine sizing.

A1: The thickness of the pole is .188".

Q2: Please specify slipfitter size.


A2: Slipfitter size is 2".

Q3: What is the finish, natural aluminum?

A3: The color is spun aluminum.

Q4: Item 2 refers to a 35' Hapco pole or equal with breakaway base. Is the PN listed for the base or pole and is this pole also a davit pole? Would a drawing be available? Sizing questions as shown above.

A4: The PN refers to the pole number proprietary to the City of Las Cruces from Hapco. The breakaway base does not have a number but must be AASHTO rated. See drawing on next page.



B68830

END OF ADDENDUM TWO



1/27/2014

Consolidated Electrical Distributors, Inc.
805 El Molino Blvd.
Las Cruces, NM 88005
575-523-5649

City of Las Cruces
Bid# 13-14-376

Please find the attached product specification cut sheets for the line items that CED is offering for this price agreement. For a few of the items, we are offering both the requested brand and an equal substitution at the same unit cost. This will allow flexibility for both the City of Las Cruces and CED; if one of the manufacturers is unable to meet a required delivery date or has a price increase.

Please feel free to contact me with any questions.


Thank You,

A handwritten signature in cursive script, appearing to read 'Drake Miller', written in black ink.

Drake Miller
Manager

Item # 1

106




SKKP011414A

WARNING: DO NOT INSTALL LIGHTING POLES WITHOUT LUMINAIRES	
TITLE 35' DAVIT POLE	
CUSTOMER CITY OF LAS CRUCES, NM	
SCALE 3/2	DATE 1/27/2014
BY KDP	DWG. NO.
CHK'D	SKKP012714A

NO.	REVISIONS	DATE

hapco
Abingdon, Va.

Item #2



Item No.	A	B	C	D
68830-001	25'	6'	19'-8"	3'
68830-002	35'	8'	29'-8"	3'
68830-003	25'	6'	19'-8"	3'

- Notes:
- (1) Pole Designed For 90 MPH/117 MPH Gusts With A Luminaire Size Of 1.5 Fl. Sq. E.P.A. And 75 Pounds.
 - (2) Pole Meets 1985 AASHTO Breakaway Requirements.

68830

REV	REVISIONS	DATE
3	L.O. Tag Added, Redrawn LW	2/95
4	-003 Added to Table	8/95

WARNING: DO NOT INSTALL LIGHTING POLES WITHOUT LUMINAIRES

hapco
Abingdon, Va.

THE DAVIT POLES
CUSTOMER: CITY OF LAS CRUCES, NM
SCALE: J2 DATE: 10/07/87
BY: LW Dwg. No. 060030

108

Item # 3


Quazite by
HUBBELL
Power Systems, Inc.

For sales and support visit:
hubbellpowersystems.com/contact/

Home > Products > Enclosures > Underground > Straight > 12 x 12

12" x 12" PC Style Polymer Concrete (Stackable) Assembly

Hex Head Bolts are Standard



Covers

DESCRIPTION	TIER	DESIGN/TEST LOAD#	WEIGHT #	PALLET QTY	PART NO.
Ⓛ W/ 2 Bolts	8	8,000 / 12,000	12	60	PC1212CA00**
Ⓛ W/ 2 Bolts	15	15,000 / 22,500	12	60	PC1212HA00**
Ⓛ No Bolts	8	8,000 / 12,000	12	60	PC1212WA00**

To order gasketed covers, replace the letter "A" with the letter "G".

Gasketed covers are with 4 bolts.

Replace ** with a logo code ([Click Here](#))


NOTE: Gasketed covers and bolt grommets must be used with a gasketed box. Gaskets reduce the Inflow of fluids but do make the enclosure water tight.

Boxes

DESCRIPTION	DEPTH	TIER	DESIGN/TEST LOAD#	WEIGHT #	PALLET QTY	PART NO.
Ⓛ Standard Open Bottom	12"	15	15,000 / 22,500	36	30	PC1212BA12
Ⓛ Solid Bottom	12 1/2"	15	15,000 / 22,500	41	30	PC1212DA12

To order gasketed boxes, replace the letter "A" with the letter "G".

NOTE: Gasketed covers and bolt grommets must be used with a gasketed box. Gaskets reduce the inflow of fluids but do make the enclosure water tight.



All contents Copyright© 2001 - 2014 Hubbell Incorporated. All rights reserved. Because Hubbell has a policy of continuous product improvement, we reserve the right to change design specifications without notice.
Terms of Use | Contact Us | Site Map | Careers

Item #3 EQUAL



109

H-Series - 1212

Polymer Concrete

Heavy Duty
Non-deliberate Traffic

Tier 22'



*Products are rated by the lowest component rating. A tier 15 cover with a tier 22 body is rated tier 15. A tier 22 cover with a tier 22 body is rated tier 22.

See Accessories Section in the Back of this Manual for Options, Hardware, Specialty Markings and Other Accessories

Part#	Description 1	Description 2	Color	Depth	Item Weight	Pallet Qty	List Price	Line Item Discount	Design Load
-------	---------------	---------------	-------	-------	-------------	------------	------------	--------------------	-------------

Body - 1212

12122001	Body, PC 1212-12 SW, HLW	PC1212T-T22	Gray	12	35	36	\$110.83	OC03	22,500
----------	--------------------------	-------------	------	----	----	----	----------	------	--------

Lid - 1212

12124001	Lid, PC 1212 HLW- "Electric"	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500
12124003	Lid, PC 1212 HLW- No Mark	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500
12124005	Lid, PC 1212 HLW- "Traffic"	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500
12124006	Lid, PC 1212 HLW- "Street Lighting"	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500
12124009	Lid, PC 1212 HLW- "Ground"	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500
12124010	Lid, PC1212 HLW- "Traffic Signal"	PC1212T-T22	Gray	-	11	40	\$52.35	OC03	22,500

Unit - 1212 (Units come standard with Body-Open Bottom, Lid and SS Hex Bolt Floating Nut Hardware)

12121001	Unit, PC 1212-12 HLW- "Electric"	PC1212T-T22	Gray	12	46	36	\$144.40	OC03	22500
12121003	Unit, PC 1212-12 HLW- No Mark	PC1212T-T22	Gray	12	46	36	\$144.40	OC03	22500

H-Series - 1324 Rectangular & Flared Wall (FW)



Polymer Concrete

Straight Wall

Medium Duty
Non-deliberate Traffic

Heavy Duty
Non-deliberate Traffic

Tier 15 & 22'





*Products are rated by the lowest component rating. A tier 15 cover with a tier 22 body is rated tier 15. A tier 22 cover with a tier 22 body is rated tier 22.

See Accessories Section in the Back of this Manual for Options, Hardware, Specialty Markings and Other Accessories

Flared Wall

Medium Duty
Non-deliberate Traffic

Tier 15'



XSP2™

XSP Series LED Street Light - Horizontal Tenon - Type III

Product Description




Designed from the ground up as a totally optimized LED street light system, the XSP Series delivers incredible efficiency and is designed to provide L70 lifetime over 100,000 hours without sacrificing application performance. Beyond substantial energy savings and reduced maintenance, Cree achieves better optical control with our NanoOptic® Precision Delivery Grid™ optic than a traditional cobra head luminaire. The Cree XSP Series LED Street Light is the best alternative for traditional street lighting with better payback and better performance.

Performance Summary

- Utilizes BetaLED® Technology
- NanoOptic Precision Delivery Grid optic
- CRI: Minimum 70 CRI
- CCT: 4000K (+/- 300K), 5700K (+/- 500K)
- Warranty: 10 years on luminaire/limited 10 years on Colorfast DeltaGuard® finish
- Made in the U.S.A. of U.S. and imported parts

Accessories

<p>XA-SP2BLS Backlight Control Shield - Provides 1/2 Mounting Height Cutoff</p> <p>XA-SP2BRDSPK Bird Spikes</p>



Ordering Information

Example: BXSPA032A-USF

BXSP	A	0	3	H	A	-	V	S	
BXSP	A	0 Horizontal Tenon	3 Type III H Type III w/ BLS	2 Standard 4000K B Standard 5700K H High Efficacy 4000K* P High Efficacy 5700K*	A 101W	-	U Universal 120-277V V Universal 347-480V**	S Silver (Standard) T Black Z Bronze B Platinum W White	<p>A ROAM® Controls - Installation of ROAM dimming control module only - Services provided by others - Includes R option</p> <p>F Fuse - When code dictates fusing, use time delay fuse - Not available with V voltage</p> <p>K Occupancy Control - Refer to Occupancy Control spec sheet for details</p> <p>N Utility Label and NEMA Photocell Receptacle - Includes Q option - Refer to Field Adjustable Output spec sheet for details</p> <p>Q Field Adjustable Output - Refer to Field Adjustable Output spec sheet for details</p> <p>R NEMA Photocell Receptacle - Photocell by others</p> <p>U Utility - Includes exterior wattage label that indicates the maximum available wattage of the luminaire - Includes Q option - Refer to Field Adjustable Output spec sheet for details</p>

* Available G3 2012 Preliminary data shown

** 347-480V utilizes magnetic step-down transformer For input power for 347-480V, refer to the Lumen Output, Electrical, and Lumen Maintenance data table below



Rev. Date: 9/14/2012



XSP Series LED Street Light - Horizontal Tenon - Type III

Product Specifications

CONSTRUCTION & MATERIALS

- Die cast aluminum housing
- Tool-less entry
- Mounts on 1.25" IP (1.66" [42mm] O.D.) or 2" IP (2.375" [60mm] O.D.) horizontal tenon (minimum 8" [203mm] in length) and is adjustable +/- 5" to allow for fixture leveling (includes two axis T-level to aid in leveling)
- Designed with 0-10V dimming capabilities. Controls by others
- Exclusive Colorfast DeltaGuard™ finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Black, bronze, platinum bronze and white are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz
- Class 2 output
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS


- cULus Listed
- Suitable for wet locations
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL"). Exceptions apply when N, U, or Q options are ordered - see Field Adjustable Output spec sheet for details.
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.41.2
- Meets CALTrans 6th Vibration testing and GR-63-CORE Section 4.4.1/5.4.2 C62.41.2
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS


- Visit website for patents that cover these products:
Patents <http://www.cree.com/patents>

Photometry

All published luminaire photometric testing performed to IESNA LM-79-08 standards by independent Testing Laboratories, a NVLAP certified laboratory



ITL Test Report #: 72724
BXSPA*32A-U
Initial Delivered Lumens: 7,406



BXSPA*32A-U
Mounting Height: 25' (7.6m)
Initial Delivered Lumens: 7,000
Initial FC at grade.

Lumen Output, Electrical, and Lumen Maintenance Data

Module	Input Power Designator	Type 3 Distribution										50K Hours Calculated Lumen Maintenance Factor @ 15°C (59°F)***		
		4000K		5700K		TOTAL CURRENT				TOTAL CURRENT				
		Initial Delivered Lumens	BUG Ratings** Per TM-15-II	Initial Delivered Lumens	BUG Ratings** Per TM-15-II	System Watts 120-277V	120V	208V	240V	277V	System Watts 347-480V		347V	480V
Standard	A	7,000	B2 UO G2	7,700	B2 UO G2	101	0.84	0.50	0.44	0.39	106	0.31	0.22	91%
High Efficacy*	A	9,612	B2 UO G2	10,680	B2 UO G2	101	0.84	0.50	0.44	0.39	106	0.31	0.22	91%

Module	Input Power Designator	Type 3 Distribution w/BLU										50K Hours Calculated Lumen Maintenance Factor @ 15°C (59°F)***		
		4000K		5700K		TOTAL CURRENT				TOTAL CURRENT				
		Initial Delivered Lumens	BUG Ratings** Per TM-15-II	Initial Delivered Lumens	BUG Ratings** Per TM-15-II	System Watts 120-277V	120V	208V	240V	277V	System Watts 347-480V		347V	480V
Standard	A	6,130	TBD	6,712	TBD	101	0.84	0.50	0.44	0.39	106	0.31	0.22	91%
High Efficacy*	A	8,417	TBD	9,352	TBD	101	0.84	0.50	0.44	0.39	106	0.31	0.22	91%

* Acuity 0.37012 Prismaticity data shown
 ** For more information on the IES BUG (Barklight-Uplight-Glare) Rating visit: www.iesna.org/PDF/Erratas/TM-15-II_Bug_Ratings_Addendum.pdf
 *** Projected L₇₀ (50K) Hours: >35,000. For recommended lumen maintenance factor data see TD-13

EPA and Weight

Input Power Designator	Weight 120-277V	Weight 347-480V	EPA			
			0.692	1.140	1.384	2.280
A	26 lbs (12kg)	29 lbs (13.2kg)	0.692	1.140	1.384	2.280

© 2012 Cree, Inc. and/or one of its subsidiaries. All rights reserved. For informational purposes only. See www.cree.com/lighting for warranty terms. Cree®, the Cree logo, BetaLED®, NanoOptic®, and Colorfast DeltaGuard® are registered trademarks and the BetaLED Technology logo, Precision Delivery Grid™, XSP1™ and XSP2™ are trademarks of Cree, Inc. or one of its subsidiaries. ROAM® is a registered trademark of Acuity Brands, Inc. www.cree.com/lighting T (800) 236-6800 F (262) 504-5415



Item #4 EQUAL

112


GE
Lighting Solutions

City of Las Cruces

HPS to LED Replacement
ERS1 H C3B1 7 40 I GRAY

Evolve™ LED Roadway Lighting

Scalable Cobrahead (ERS1, ERS2, ERS3 & ERS4)



imagination at work

Product Features

From local to major roadways, the GE Evolve™ LED Roadway Scalable Cobrahead fixtures are changing the way you light your lanes. Preserving the aesthetic look of traditional roadway Cobrahead fixtures, GE balances the technical needs of a sophisticated LED system with the functional demands of an outdoor fixture facing extreme weather hazards. GE's advanced LED optical design offers hundreds of photometric options to meet your precise lighting requirements, while delivering reduced glare and improved light control. The refined thermal management system incorporates a sleek and robust heat sink directly into the fixture to ensure maximum heat transfer and long LED life.

The GE Evolve LED Roadway Scalable Cobrahead offers more than 11 years of reliable service life to significantly reduce maintenance frequency and expense, based on a 50,000 hour life and 12 hours of operation per day. This efficient fixture can yield up to a 50-percent reduction in system energy compared with standard HID systems, depending on roadway applications, and can also be paired with programmable dimming options for even greater savings and control.

Applications

- Designed to meet recommended luminance and illuminance requirements for local to major roadway / street classifications.

Housing

- Die cast aluminum housing.
- A modern design preserving the aesthetic look of traditional roadway Cobrahead fixtures incorporates the heat sink directly into the unit ensuring maximum heat transfer and long LED life.
- Meets 2G vibration per C136.31-2010 For 3G rating contact manufacturer.
- Power door assembly with removable retention latch.

LED & Optical Assembly

- Structured LED array for optimized roadway photometric distribution.
- Evolve light engine consisting of scalable reflective technology designed to optimize application efficiency and minimize glare.
- Reverse facing light engine options available.
- Utilizes high brightness LEDs, 70 CRI at 4000K & 5700K typical.
- LM-79 tests and reports are performed in accordance with IESNA standards.

Lumen Maintenance

- System rating is L85 at 50,000 hours. Contact manufacturer for Lxx rating (Lumen Depreciation) beyond 50,000 hours.

Ratings

-   listed, suitable for wet locations per UL 1598.
- IP65 rated optical enclosure per ANSI C136.25-2009.
- Temperature rated at -40° to 50°C (-40° to 45°C for ERS4 347-480V fixtures).
- Upward Light Output Ratio (ULOR) = 0.
- RoHS compliant.

Mounting

- Slipfitter with +/- 5 degree of adjustment for leveling.
- Integral die cast mounting pipe stop feature.
- Wildlife intrusion protection at mounting pipe entry.
- Adjustable for 1.25 in. or 2 in. mounting pipe.

Finish

- Corrosion resistant polyester powder painted, minimum 2.0 mil. thickness.
- Standard colors: Black and Gray.
- RAL & custom colors available.

Electrical

- 120-277 volt and 347-480 volt available.
- System power factor is >90% and THD <20%.*
- Class "A" audible sound rating.
- Integral surge protection:
 - For 120-277VAC per IEEE/ANSI C62.41.-1991, 6kV/3kA Location Category B3 (120 Events).
- Optional high capability surge protection per IEEE/ANSI C62.41.2-2002.
 - Rating 1 - 10kV/5kA Location Category (120 events).
 - Rating 2 - 6kV/3kA Location Category C-Low (5000 events).
- EMI: Title 47 CFR Part 15 Class A.
- Photo electric sensors (PE) available for all voltages.

* System power factor and THD is tested and specified at 120V input and maximum load conditions.


Warranty

- 10-year limited system warranty standard.

Ordering Number Logic

Scalable Cobrahead (ERS1)

ERS1# C3 B1 7 40 | GRAY



ERS1 - H - C3 - B1 - 7 - 40 - 1 - GRAY - ---

PROD. ID	VOLTAGE	OPTICAL CODE	PHOTOMETRIC TYPE	DRIVE CURRENT	LED COLOR TEMP	PEFUNCTION	COLOR	OPTIONS
E = Evolve	0 = 120-277 H = 347-480		AX = Extra Narrow Asymmetric (Medium)	7 = 700mA	40 = 4000K 57 = 5700K	1 = None 2 = PE Rec.	BLCK = Black GRAY = Gray	E = GE Level
R = Roadway	1 = 120*		B1 = Narrow Asymmetric (Medium)	*Standard drive current is 525mA 350mA and 700mA drive currents designated with a '3' or '7' respectively are available and set at the factory		4 = PE Rec. with Shorting Cap 5 = PE Rec. with Control 7 = Dimming PE Receptacle *† 9 = Dimming PE Receptacle with Shorting Cap †	Contact manufacturer for other colors	F = Fusing L = Tool-Less Entry P = Programmable Dimming (includes DALI) T = Extra Surge Protection* XXX = Special Options
S = Scalable	2 = 208* 3 = 240* 4 = 277* 5 = 480* D = 347*		CX = Asymmetric (Short)			PE control not available for multi-volt 346-480V. Must be a discrete voltage (347V or 480V).		* Contact manufacturer for details and availability.
1 = Optical Assembly			DX = Asymmetric Forward (Very Short)			† Order dimming control PE as a separate item		
			EX = Asymmetric (Medium)			† When ordering PE function socket 7 or 9, a programmable dimming option "P" must also be ordered under the "OPTIONS" column		

OPTICAL CODE	PHOTOMETRIC TYPE	TYPICAL INITIAL LUMENS		TYPICAL SYSTEM WATTAGE		IES FILE NUMBERS	
		4000K	5700K	120-277V	347-480V	4000K	5700K
AX	AX	3100	3300	43	47	454886	454889
		4100	4400	54	59	454887	454890
		5100	5500	67	74	454888	454891
B1	B1	3300	3400	43	47	454669	454668
		4300	4600	54	59	454670	454667
		8600	8700	95	99	4	4
CX	CX	3200	3400	43	47	454662	454663
		4200	4500	54	59	454661	464664
		5200	5600	67	74	454660	454665
DX	DX	3300	3500	43	47	454892	454895
		4300	4600	54	59	454893	464896
		5300	5700	67	74	454894	454897
EX	EX	3000	3200	43	47	454653	454644
		4000	4300	54	59	454652	454645
		5000	5400	67	74	454651	454646

Photometrics

Scalable Cobrahead (ERS1)




ISO Plot
Grid Distance in Units of
Mounting Height at 30' Initial
Footcandle Values at Grade

Polar Curve
Polar Trace Vertical and Horizontal
Plane through Horizontal Angle of
Maximum Candlepower

CU Graph
Coefficients of Utilization Street
Width / Mounting Height




ERS1
Extra Narrow Asymmetric Medium
(CXAX)

5,500 Lumens
5700K
GE454891.ies






ERS1
Narrow Asymmetric Medium
(CXBX)

5,700 Lumens
5700K
GE454666.ies






ERS1
Asymmetric Short
(CXCX)

5,600 Lumens
5700K
GE454665.ies






ERS1
Asymmetric Forward Very Short
(CXDX)

5,700 Lumens
5700K
GE454897.ies





ERS1
Asymmetric Medium
(CXEX)

5,400 Lumens
5700K
GE454646.ies





Product Dimensions

Scalable Cobrahead (ERS1)



- | | |
|-------------|---|
| DATA | <ul style="list-style-type: none"> • Approximate Net Weight: 20 to 25 lbs. (9.07 to 11.34 kgs.)
Contact manufacturer for specific configuration weight. • Effective Projected Area (EPA): 0.5 sq. ft. max (0.046 sq. m) |
|-------------|---|

Scalable Cobrahead (ERS2)



- | | |
|-------------|---|
| DATA | <ul style="list-style-type: none"> • Approximate Net Weight: 25 to 29 lbs. (11.34 to 13.15 kgs.)
Contact: manufacturer for specific configuration weight. • Effective Projected Area (EPA): 0.7 sq. ft. max (0.065 sq. m) |
|-------------|---|

City of Las Cruces Purchasing Section

Bid # 13-14-376 / Street Light Poles and Accessories Price Agreement

Opening Date: January 27, 2014

Consolidated Electrical Distributors				Crescent Electric Supply Co.				Dealers Electrical Supply									
Drake Miller phone: 575-523-5649 e-mail: drMiller@cediascruces.com				Kyle Schwieters phone: 575-526-7755 e-mail: kdschw@cesco.com				Jimmy Tharp phone: 575-526-4010 e-mail: jtharp@dealerslectrical.com									
ITEM	DESCRIPTION	QTY	MFR BRAND	MODEL NO.	UNIT PRICE	PREFERENCE	PRICE EXT	MFR BRAND	MODEL NO.	UNIT PRICE	PREFERENCE	PRICE EXT	MFR BRAND	MODEL NO.	UNIT PRICE	PREFERENCE	PRICE EXT
1	35' round tapered aluminum street light poles w/8' davit arm and 1 1/2" bolt circle. No breakaway base needed. No anchor bolts needed.	45	Hapco		\$1,102.50	\$1,047.38	\$49,612.50	United	STTA-DA-3518-ssath	\$1,114.43	\$1,002.99	\$50,149.35	Hapco	See Spec	\$1,195.00		\$53,775.00
2	35' HAPCO OR EQUAL standard aluminum pole PN: 68330-002 with breakaway base and anchor bolts 10 1/2" bolt circle.	10			\$1,530.00	\$1,453.50	\$15,300.00	Hapco		\$1,686.68	\$1,518.01	\$16,866.80	Hapco	See Spec	\$1,590.00		\$15,900.00
3	12' x 12" QUASITE OR EQUAL fiber underground pull box w/"Street Lighting" cover.	20			\$73.00	\$69.35	\$1,460.00	Oldcastle	12121006	\$81.85	\$73.67	\$1,637.00	Oldcastle	See Spec	\$85.00		\$1,700.00
4	CREE XSP2 OR EQUAL luminaires 480 volt without photocells. 4000k high efficacy color range.	37			\$320.00	\$304.00	\$11,840.00	Cree		\$339.50	\$305.55	\$12,561.50	GE	See Spec	\$358.00		\$13,246.00
					TOTAL:		\$78,212.50			TOTAL:		\$81,214.63			TOTAL:		\$84,621.00
					Total with Preference(s):		\$74,301.88			Total with Preference(s):		\$73,093.19			Total with Preference(s):		\$84,621.00
					Delivery: Within 45 working days					Within 60 days					Within 60 days		
					Prices Effective Through: 2/15/2015					12/31/2014					January 2015		
					Preference Type / Number: Local					Local and NM Resident					None		

117

No bids: None
Late submittal: Las Cruces Winlectric Co.

Preferences - 10% max
NM Resident - 5%
NM Veteran - 7%, 8%, or 10%
Local - 5%

Charlene Gomez
Prepared by: Charlene Gomez, Purchasing Specialist
Tommy Wilson
Verified by: Penny Wilson, Assistant Management Analyst

Exhibit "B"